



# imagePRESS C10010VP / C9010VP

## COLOR PRODUCTION DIGITAL PRESS



imagePRESS C10010VP shown with optional accessories.

## PRODUCT SPECIFICATIONS

### MARKING ENGINE

<b>Technology:</b>	Electrophotography	
<b>Print Resolution:</b>	2400 x 2400 dpi	
<b>Print Speed</b>	<b>C10010VP</b>	<b>C9010VP</b>
8.5" x 11":	Up to 100 ipm	Up to 90 ipm
11" x 17":	Up to 56.2 ipm	Up to 50.6 ipm
12" x 18":	Up to 53.5 ipm	Up to 48.1 ipm
13" x 19":	Up to 51 ipm	Up to 45.9 ipm
13" x 30":	Up to 28.3 ipm	Up to 25.5 ipm
<b>Paper Size:</b>	7.2" x 7.2" to 13" x 19.2"	
<b>Paper Weight:</b>	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)	
<b>Paper Capacity<sup>1</sup></b>		
Standard:	Up to 2,000 Sheets	
Maximum:	Up to 11,000 Sheets	
<b>Long Sheets<sup>2</sup></b>		
Duplex:	Up to 13" x 30"	
Simplex:	Up to 13" x 51.2"	
<b>Automatic Duplexing</b>		
Paper Size: <sup>2</sup>	Up to 13" x 30"	
Paper Weight:	Up to 150 lb. Cover (400 gsm)	
<b>Average Monthly Print Volume<sup>3</sup></b>		
C9010VP:	80,000 to 360,000	
C10010VP:	100,000 to 450,000	
<b>Duty Cycle<sup>3</sup></b>		
C9010VP:	1,600,000	
C10010VP:	1,800,000	
<b>Power Source:</b>	Three-Phase 208 V, 60 Hz, 30 A	
	Single-Phase 208 V, 20A, 60 Hz	
<b>Weight:</b>	2,652 lb.	
<b>Dimensions (W x D x H):</b>	101.8" x 45.4" x 57.3"	

### INPUT ACCESSORIES

<b>POD Deck-D1</b>	
<b>Paper Capacity:<sup>1</sup></b>	Up to 4,000 Sheets
<b>Attach Inline:</b>	Up to 2
<b>Paper Size:</b>	7.2" x 7.2" to 13" x 19.2"
<b>Paper Weight:</b>	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
<b>Power Source:</b>	200-208 V, 60 Hz, 15 A
<b>Weight:</b>	551 lb.
<b>Dimensions (W x D x H):</b>	38.7" x 31.2" x 43.1"
<b>BDT VX 370-790 Long Sheet Feeder</b>	
<b>Paper Capacity:<sup>1</sup></b>	Up to 5,000 Sheets
<b>Paper Size:</b>	11" x 17" to 13" x 30"
<b>Paper Weight:</b>	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
<b>Power Source:</b>	90-260 V, 47-63 Hz, 14 A
<b>Weight:</b>	1,146.3 lb.
<b>Dimensions (W x D x H):</b>	51.2" x 42.7" x 38.4"
<b>POD Deck Lite-C1</b>	
<b>Paper Capacity:<sup>1</sup></b>	Up to 3,500 Sheets
<b>Paper Size:</b>	5.5" x 7.2" to 13" x 19.2"
<b>Paper Weight:</b>	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
<b>Power Source:</b>	120-127 V, 60 Hz, 2.2 A
<b>Weight:</b>	150 lb.
<b>Dimensions (W x D x H):</b>	24.9" x 27.0" x 22.4"

# imagePRESS C10010VP/C9010VP PRODUCT SPECIFICATIONS (Continued)

## POD Deck Lite XL-A1

<b>Paper Capacity<sup>1</sup></b>	
Up to 13" x 19.2":	Up to 3,500 Sheets
Up to 13" x 30":	Up to 1,000 Sheets
<b>Paper Size:</b>	5.5" x 7.2" to 13" x 30"
<b>Paper Weight</b>	
Up to 13" x 19.2":	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
Up to 13" x 30":	17 lb. Bond to 110 lb. Cover (64 gsm to 300 gsm)
<b>Power Source:</b>	120-127V AC, 60 Hz, 2.2 A
<b>Weight:</b>	231 lb.
<b>Dimensions (W x D x H):</b>	40.2" x 27" x 22.6"

## Long Sheet Bypass Tray-D1

<b>Paper Capacity<sup>1</sup></b>	Up to 1 Sheet
<b>Paper Size:</b>	8.3" x 19.2" to 13" x 51.2"
<b>Paper Weight:</b>	16 lb. Bond to 140 lb. Index (60 gsm to 256 gsm)
<b>Weight:</b>	3 lb.
<b>Dimensions (W x D x H):</b>	85.6" x 36.8" x 56.1"

## Duplex Color Image Reader-M1

<b>Image Sensor:</b>	CCD
<b>Scan Speed (Letter, 300 dpi)</b>	
BW (duplex):	Up to 240 opm
Color (duplex):	Up to 220 opm
<b>Tray Capacity<sup>1</sup></b>	Up 300 Sheets
<b>Document Size:</b>	Statement to 12" x 17"
<b>Resolution:</b>	Up to 600 x 600 dpi
<b>Weight:</b>	60 lb.
<b>Dimensions (W x D x H):</b>	24.9" x 23.7" x 7.1"

## FINISHING ACCESSORIES

### Document Insertion Unit-N1<sup>4</sup>

<b>Tray Capacity<sup>1</sup></b>	
Upper Tray:	Up to 200 Sheets
Lower Tray:	Up to 200 Sheets
<b>Paper Weight:</b>	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
<b>Paper Size:</b>	5.5" x 7.2" to 13" x 19.2"
<b>Power Supply:</b>	100-240 V, 50/60 Hz, 1.0 A
<b>Weight:</b>	134 lb.
<b>Dimensions (W x D x H):</b>	29.4" x 31.2" x 55.4"

### Multi-Function Professional Puncher-B1<sup>4</sup>

<b>Paper Weight</b>	
Punching:	20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)
Creasing:	105 lb. Text to 110 lb. Cover (157 gsm to 300 gsm)
<b>Paper Size:</b>	12" x 18", 11" x 17", LTR, LGL, LTR-R, STMT
Punching:	Letter, Legal, 11" x 17", 12" x 18"
Creasing:	Letter-R, Legal, 11" x 17, 12" x 18", 13" x 19"
<b>Die Set Patterns:</b>	Loose Leaf 3-Hole/5-Hole, Velo Bind 11-Hole, Plastic Comb 19-Hole, Twin Loop 21-Hole/32-Hole, Color Coil 44-Hole, Crease
<b>Power Supply:</b>	115 V, 60 Hz, 3.8 A
<b>Weight:</b>	225 lb.
<b>Dimensions (W x D x H):</b>	17.5" x 31.3" x 40.9"

### GBC eWire Pro<sup>4,5</sup>

<b>Bound Book Size<sup>1</sup></b>	15 to 80 Sheets
<b>Paper Size:</b>	Letter
<b>Paper Weight:</b>	20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)
<b>Wire Choices:</b>	1/4", 5/16", 3/8", 7/16", 1/2"
<b>Stack Capacity<sup>1</sup></b>	Up to 35 Books
<b>Infeed:</b>	Multi-Function Professional Puncher-B1
<b>Power Supply:</b>	115 V, 60 Hz, 2.8A
<b>Weight:</b>	500 lb.
<b>Dimensions (W x D x H):</b>	35.9" x 31.7" x 42.5"

### Perfect Binder-E1<sup>4</sup>

<b>Finished Book Size:</b>	5.4" x 8.0" to 8.5" x 11.7"
<b>Book Thickness<sup>1</sup></b>	10 to 200 Sheets
<b>Paper Weight</b>	
Body Pages:	16 lb. Bond to 110 lb. Text (60 gsm to 163 gsm)
Cover Page:	24 lb. Bond to 110 lb. Cover (90 gsm to 300 gsm)
<b>Trimming Method:</b>	3-Side Cut/1-Side Cut/No Cut
<b>Trim Range</b>	
Top/Bottom:	0.26" to 1.6"
Side:	0.26" to 1.95"
<b>Power Source:</b>	208 V, 60 Hz, 3.0 A
<b>Weight:</b>	679 lb.
<b>Dimensions (W x D x H):</b>	36.3" x 31.1" x 51.2"

### High-Capacity Stacker-H1

<b>Capacity<sup>1</sup></b>	
Stack Tray:	Up to 6,000 Sheets
Top Tray:	Up to 200 Sheets
<b>Attach Inline:</b>	Up to 2
<b>Paper Size:</b>	7.2" x 7.2" to 13" x 19.2"
<b>Paper Weight:</b>	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
<b>Power Source:</b>	100-240 V, 50/60 Hz, 2.5 A
<b>Weight:</b>	265 lb.
<b>Dimensions (W x D x H):</b>	35.4" x 29.3" x 44.9"

### Paper Folding Unit-J1<sup>6</sup>

<b>Double Parallel Fold:</b>	Legal, Letter-R
<b>C/Accordion Fold:</b>	Letter-R
<b>Z-Fold:</b>	Letter-R, Legal, 11" x 17"
<b>Paper Weights:</b>	16 lb. Bond to 28 lb. Bond (60 gsm to 105 gsm)
<b>Power Source:</b>	From Finisher
<b>Weight:</b>	157 lb.
<b>Dimensions (W x D x H):</b>	13.2" x 31.2" x 46.9"

# imagePRESS C10010VP/C9010VP PRODUCT SPECIFICATIONS (Continued)

## Staple Finisher-ANI/Booklet Finisher-AN2

### Tray Capacity<sup>1</sup>

Top Tray:	Up to 1,000 Sheets
Lower Tray:	Up to 4,000 Sheets
Saddle-Stitch Tray:	Up to 30 Booklets or Limitless

### Paper Weight

Stacking:	16 lb. Bond to 150 lb. Cover (60 to 400 gsm)
Corner Stapling:	16 lb. Bond to 120 lb. Cover (60 to 325 gsm)
Booklet-Making:	16 lb. Bond to 110 lb. Cover (60 to 300 gsm)

**Staple Positions:** Corner, Double

### Paper Size

Stapling:	8.3" x 7.2" to 12" x 17"
Saddle Finisher:	8.3" x 11" to 13" x 19.2"

### Stapling Capacity<sup>1</sup>

Corner/Double:	Up to 100 Sheets
Saddle-Stitch:	Up to 25 Sheets
V-Folding:	Up to 5 Sheets without Stitch

**Power Source:** 120-240 V, 60 Hz, 8 A

### Weight

Staple Finisher:	287 lb.
Booklet Finisher:	397 lb.

**Dimensions (W x D x H):** 31.5" x 31.2" x 48.8"

## Puncher Unit-BSI<sup>6</sup>

**Paper Weight:** Same as Main Engine

### Paper Sizes

2-Hole:	7.2" x 7.2" to 11.7" x 17"
3-Hole:	9.5" x 7.2" to 11.7" x 17"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)

**Punch Waste Capacity:**<sup>1</sup> Up to 6,000 Sheets

**Power Supply:** From the Finisher

## Long Sheet Catch Tray-C1<sup>6</sup>

**Paper Size:** Up to 7.2" x 7.2" to 13" x 30"

**Paper Capacity:**<sup>1</sup> Up to 100 Sheets

## Long Sheet Catch Tray XL-A1<sup>6</sup>

**Paper Size:** 7.2" x 7.2" to 13" x 51.2"

### Paper Capacity:

Up to 13" x 30":	Up to 300 Sheets
Up to 13" x 51.2":	Up to 50 Sheets

## DFD Adapter and Finisher Bridge-A1<sup>6</sup>

**Paper Weight:** 14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

**Supported Finishing:** SDD BLM300C Professional Booklet Maker  
Plockmatic BLM50/35 Professional Booklet Maker, MAX Ring Binder MB-1000C

**Requirements:** Staple/Booklet Finisher-WI

**Weight:** 168 lb.

**Dimensions (W x D x H):** 35.8" x 29.3" x 46.9"

## Booklet Trimmer-F1<sup>7</sup>

**Margin Trimming:** Front-edge Trim

**Trim Amount:** 0.08" to 1.1"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)

**Power Supply:** From the Finisher

**Weight:** 392 lb.

**Dimensions (W x D x H):** 82.5" x 31.1" x 40.9"

## Two-Knife Booklet Trimmer-A1<sup>8</sup>

**Margin Trimming:** Top and Bottom

**Trim Amount:** 0.08" to 0.59"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)

**Power Supply:** 120-127 V, 60 Hz, 4 A

**Weight:** 320 lb.

**Dimensions (W x D x H):** 43.7" x 30.3" x 40.9"

## SDD Square Fold Booklet Maker<sup>8</sup>

**Booklet Capacity:**<sup>1</sup> Up to 25 Sheets

**Booklet Input Size:** 4.71" x 8.27" to 9.6" x 12.6"

**Booklet Output Size:** 4.71" x 7.87" to 9.6" x 12.6"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover

**Trim Amount:** 0.08" to 1.38"

**Power Supply:** 120 V, 60 Hz, 15 A

**Weight:** 154 lb.

**Dimensions (W x D x H):** 44.9" x 23.6" x 44.9"

## SDD Square Fold Booklet Maker with Two Knife Trim<sup>8</sup>

**Booklet Capacity:**<sup>1</sup> Up to 25 Sheets

**Booklet Input Size:** 4.88" x 5.51" to 9.6" x 12.6"

**Booklet Output Size:** 4.88" x 5.51" to 9.6" x 12.6"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover

**Trim Amount:** 0.08" to 1.38"

**Power Supply:** 120 V, 60 Hz, 15 A

**Weight:** 573 lb.

**Dimensions (W x D x H):** 62.7" x 27.6" x 51.2"

## MAX Ring Binder MB-1000C<sup>9</sup>

**Binding Capacity:**<sup>1</sup> Up to 100 Sheets

**Sheet Size:** Letter, Letter Tab

**Paper Weight:** 17 lb. Bond to 80 lb. Cover (64 to 216 gsm)

**Stacking Capacity:**<sup>1</sup> Up to 25 Books

**Ring Elements:** Small (Up to 50 Sheets), Large (Up to 100 Sheets)

**Power Source:** 120-127 V, 60 Hz, 2.8 A

**Weight:** 330 lb.

**Dimensions (W x D x H):** 33.9" x 25.8" x 43.8"

## SDD BLM300C Professional Booklet Maker<sup>9</sup>

**Booklet Size:**<sup>1</sup> Up to 30 Sheets

**Paper Size:** 5.5" x 9.9" to 12.6" x 18.5"

### Paper Weight

Body:	16 lb. Bond to 64 lb. Cover (60 to 240 gsm)
Cover:	20 lb. Bond to 110 lb. Cover (80 to 300 gsm)

### Trim Amount<sup>10</sup>

Face:	0.08" to 0.63"
Top/Bottom:	0.08" to 1.38"

**Paper Rotating:**<sup>11</sup> 8" x 8" to 9.1" x 12.6"

**Weight:** 1,477 lb.

**Dimensions (W x D x H):** 143.6" x 27.5" x 45.3"

# imagePRESS C10010VP/C9010VP PRODUCT SPECIFICATIONS (Continued)

## Plockmatic BLM50/35 Professional Booklet Maker<sup>9</sup>

<b>Booklet Size:</b> <sup>1</sup>	Up to 50 Sheets
<b>Paper Size:</b>	8.1" x 10.8" to 12.6" x 18"
<b>Paper Weight</b>	
Uncoated:	16 lb. Bond to 110 lb. Cover (60 to 300 gsm)
Coated:	28 lb. Bond to 110 lb. Cover (105 to 300 gsm)
<b>Trim Amount</b>	
Face: <sup>12</sup>	0.04" to 1"
Top/Bottom: <sup>13</sup>	0.196" to 1.18"
<b>Paper Rotating:</b> <sup>13</sup>	8.1" x 10.9" to 9.1" x 12.7"
<b>Weight:</b>	1,235.7 lb.
<b>Dimensions (W x D x H):</b>	131.1" x 33.8" x 42.5"

## PRINT SERVERS

### PRISMAsync Print Server

<b>System Software:</b>	Version 7
<b>CPU:</b>	Intel Core i7 4770S @ 3.1 GHz
<b>Memory:</b>	16 GB
<b>Hard Drive:</b>	1.5 TB
<b>OS:</b>	Windows 10
<b>Standard:</b>	Scheduler, DocBox, G7 Calibration, Page Programmer, Remote Manager, PRISMAlytics Dashboard, Automated Workflows, Multiple Queues, Remote Control
<b>Optional:</b>	E-Shredding

### imagePRESS Server B7000 V2

<b>Fiery System:</b>	FS400 Pro
<b>CPU:</b>	Dual Intel® Xeon® Gold 5118 Processor, 2.3 GHz with 3.2GHz Turbo
<b>Memory:</b>	32 GB
<b>Hard Drive:</b>	4.5 TB
<b>OS:</b>	Windows 10
<b>Standard:</b>	Impose, Compose, Command Workstation, Spot-On, Remote Scan, Hot Folders, Virtual Printers, Media Librarian, Graphic Arts Pro Package, Color Right Package
<b>Optional:</b>	Job Master, JobFlow

### imagePRESS Server B6000 V2

<b>Fiery System:</b>	FS400 Pro
<b>CPU:</b>	Intel® Core™ i7-4770S, 3.2 GHz up to 3.6 GHz w/Turbo
<b>Memory:</b>	16 GB
<b>Hard Drive:</b>	1 TB
<b>OS:</b>	Windows 10
<b>Standard:</b>	Command Workstation, Media Librarian, Spot On, Remote Scan, Hot Folders, Impose, Compose
<b>Optional:</b>	Graphic Arts Pro Package, ColorRight Package, Job Master, JobFlow

<sup>1</sup> Based on 20 lb. Bond.

<sup>2</sup> Optional feeding accessories required.

<sup>3</sup> Based on letter, simplex impressions.

<sup>4</sup> High Capacity Stacker-H1 and/or Staple Finisher-AN1/Booklet Finisher-AN2 required.

<sup>5</sup> Multi-Function Professional Puncher-B1 required.

<sup>6</sup> Staple Finisher-AN1 or Booklet Finisher-AN2 required.

<sup>7</sup> Booklet Finisher-AN2 required.

<sup>8</sup> Booklet Trimmer-F1 required.

<sup>9</sup> High Capacity Stacker-H1 or DFD Adapter and Finisher Bridge-A1 required.

<sup>10</sup> SDD Front Trimmer required.

<sup>11</sup> SDD Rotator required.

<sup>12</sup> FTR50 Trimmer Module required.

<sup>13</sup> RCT50 Rotate Crease Trim Module required.



Canon, imagePRESS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. PRISMA is a registered trademark of Canon Production Printing Netherlands B.V. All other referenced product names and marks are trademarks of their respective owners. Some output may be simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors.  
©2020 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims on unauthorized copying.

