



# imagePRESS C910/C810/C710

## COLOR PRODUCTION DIGITAL PRESS



imagePRESS C910 shown with optional accessories.

## PRODUCT SPECIFICATIONS

### MARKING ENGINE

**Technology:** Electrophotography

**Print Resolution:** 2400 x 2400 dpi

#### Print Speed

	C910	C810	C710/C710CA
8.5" x 11":	Up to 90 ppm	Up to 80 ipm	Up to 70 ipm
11" x 17":	Up to 45 ipm	Up to 40 ipm	Up to 35 ipm
12" x 18":	Up to 42 ipm	Up to 40 ipm	Up to 35 ipm
13" x 19":	Up to 40 ipm	Up to 38 ipm	Up to 33 ipm
13" x 30":	Up to 23 ipm	Up to 22 ipm	Up to 19 ipm

#### Paper Size

Standard: 3.94" x 5.83" to 13" x 19.2"

Optional: 5.5" x 5.83" to 13" x 51.2"

#### Paper Capacity<sup>1</sup>

Standard: Up to 1,650 Sheets

Maximum: Up to 10,400 Sheets

#### Paper Weight

Standard: 14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

Optional: 14 lb. Bond to 130 lb. Cover (52 gsm to 350 gsm)

#### Envelopes:<sup>2</sup>

3.94" x 5.83" to 13" x 19.2"

#### Long Sheets<sup>3</sup>

Duplex: Up to 13" x 30"

Simplex: Up to 13" x 51.2"

#### Automatic Duplexing

Paper Size:<sup>3</sup> Up to 13" x 30"

Paper Weight:<sup>4</sup> Up to 130 lb. Cover (350 gsm)<sup>5</sup>

#### Power Source:

Single-Phase 208 V, 50/60 Hz, 20 A

#### Weight:

697 lb.

#### Dimensions (W x D x H):

60.2" x 38.7" x 67.4"

### INPUT ACCESSORIES

#### Multi-Drawer Paper Deck-D1

**Paper Capacity:<sup>1</sup>** Up to 5,000 Sheets

**Paper Size:** 5.5" x 7.2" to 13" x 19.2"

**Paper Weight:** 14 lb. Bond to 130 lb. Cover (52 gsm to 350 gsm)

**Power Source:** 110-127V, 60 Hz, 6.4 A

**Weight:** 388 lb.

**Dimensions (W x D x H):** 37.9" x 31.5" x 42.5"

#### POD Deck Lite-C1

**Paper Capacity:<sup>1</sup>** Up to 3,500 Sheets

**Paper Size:** 5.5" x 5.83" to 13" x 19.2"

**Paper Weight:** 14 lb. Bond to 130 lb. Cover (52 gsm to 350 gsm)

**Envelopes:<sup>2</sup>** 5.5" x 5.83" to 13" x 19.2"

**Power Source:** 120-127 V, 60 Hz, 2.2 A

**Weight:** 168 lb.

**Dimensions (W x D x H):** 28.3" x 27.0" x 22.6"

#### POD Deck Lite XL-A1

**Paper Capacity:<sup>1</sup>** Up to 3,500 Sheets (Up to 13" x 19.2")

Up to 1,000 Sheets (Up to 13" x 30")

**Paper Size:** 5.5" x 5.83" to 13" x 30"

**Paper Weight:** 14 lb. Bond to 130 lb. Cover (52 gsm to 350 gsm)<sup>5</sup>

**Envelopes:<sup>2</sup>** 5.5" x 5.83" to 13" x 30"

**Power Source:** Single-Phase 208V AC, 60 Hz, 20A

**Weight:** 250 lb.

**Dimensions (W x D x H):** 43.5" x 27" x 22.6"

# imagePRESS C910 PRODUCT SPECIFICATIONS (continued)

## Stack Bypass-C1

<b>Paper Capacity:<sup>1</sup></b>	Up to 250 Sheets
<b>Paper Size:</b>	4" x 5.83" to 13" x 19.2"
<b>Paper Weight:</b>	14 lb. Bond to 130 lb. Cover (52 gsm to 350 gsm)
<b>Envelopes:<sup>2</sup></b>	4" x 5.83" to 13" x 19.2"
<b>Weight:</b>	3 lb.
<b>Dimensions (W x D x H):</b>	19.3" x 15.1" x 2.9"

## Long Sheet Feeding and Catch Tray-B1

<b>Paper Capacity:<sup>1</sup></b>	Up to 1 Sheet
<b>Paper Size:</b>	4" x 5.83" to 13" x 51.2"
<b>Paper Weight:</b>	17 lb. Bond to 130 lb. Cover (64 gsm to 350 gsm) <sup>5</sup>
<b>Envelopes:</b>	4" x 5.83" to 13" x 19.2"
<b>Weight:</b>	2 lb.
<b>Dimensions (W x D x H):</b>	85.6" x 56.1" x 56.1"

## Duplex Color Image Reader-M2

<b>Image Sensor:</b>	CCD
<b>Scan Speed (Letter, 300 dpi)</b>	
BW (duplex):	Up to 230 opm
Color (duplex):	Up to 150 opm
<b>Document Size:</b>	Statement to 11" x 17"
<b>Resolution:</b>	Up to 600 x 600 dpi, 256 Gradations
<b>Tray Capacity:<sup>1</sup></b>	Up 300 Sheets
<b>Weight:</b>	84 lb.
<b>Dimensions (W x D x H):</b>	25" x 23.8" x 10"

## FINISHING ACCESSORIES

### Copy Tray-R2

<b>Paper Capacity:<sup>1</sup></b>	Up to 250 Sheets
<b>Paper Size:</b>	14 lb. Bond to 130 lb. Cover (52 to 350 gsm)
<b>Paper Weight:</b>	4" x 5.83" to 13" x 19.2"
<b>Weight:</b>	2.6 lb.
<b>Dimensions (W x D x H):</b>	16.6" x 15" x 6.8"

### Document Insertion Unit-N1<sup>6,7</sup>

<b>Tray Capacity<sup>1</sup></b>	
Upper Tray:	Up to 200 Sheets
Lower Tray:	Up to 200 Sheets
<b>Paper Weight:</b>	14 lb. Bond to 130 lb. Cover (52 gsm to 300 gsm)
<b>Paper Size:</b>	7.2" x 7.2" to 13" x 19.2"
<b>Power Supply:</b>	100-240 V, 50/60 Hz, 1.0 A
<b>Weight:</b>	135 lb.
<b>Dimensions (W x D x H):</b>	29.4" x 31.3" x 55.4"

### Multi Function Professional Puncher-B1<sup>6</sup>

<b>Paper Weight</b>	
Punching:	20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)
Creasing:	110 lb. Text to 110 lb. Cover (162 gsm to 300 gsm)
<b>Paper Size:</b>	12" x 18", 11" x 17", LTR, LGL, LTR-R, STMT
Punching:	Letter-R, Letter, Legal, 11" x 17", 12" x 18"
Creasing:	Letter-R, 11" x 17, 12" x 18", 13" x 19"
<b>Die Set Patterns:</b>	Loose Leaf 3-Hole/5-Hole, Velo Bind 11-Hole, Plastic Comb 19-Hole, Twin Loop 21-Hole/32-Hole, Color Coil 44-Hole, Crease
<b>Power Supply:</b>	100-127 V, 60 Hz, 15 A
<b>Weight:</b>	225 lb.
<b>Dimensions (W x D x H):</b>	17.5" x 31.3" x 41"

### GBC eWire Pro<sup>8</sup>

<b>Bound Book Size:<sup>1</sup></b>	15 to 80 Sheets
<b>Paper Size:</b>	Letter, 5.5" x 8.5", Tab Stock
<b>Paper Weight:</b>	20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)
<b>Wire Choices:</b>	1/4", 5/16", 3/8", 7/16", 1/2"
<b>Stack Capacity:</b>	Up to 35 Books
<b>Infeed:</b>	Multi Function Professional Puncher-B1
<b>Power Supply:</b>	115 V, 60 Hz, 2.8A
<b>Weight:</b>	500 lb.
<b>Dimensions (W x D x H):</b>	35.8" x 31.3" x 42.6"

### Perfect Binder-E1<sup>8</sup>

<b>Finished Book Size:</b>	5.4" x 7.99" to 8.5" x 11.69"
<b>Book Thickness:<sup>1</sup></b>	10 to 200 Sheets (Up to 0.98")
<b>Body Paper Weight:</b>	14 lb. Bond to 43 lb. Bond (52 gsm to 163 gsm)
<b>Cover Paper Weight:</b>	24 lb. Bond to 110 lb. Cover (90 gsm to 300 gsm)
<b>Trimming Method:</b>	3-Side Cut/1-Side Cut/No Cut
<b>Trim Range</b>	
Top/Bottom:	0.26" to 1.56"
Side:	0.26" to 1.95"
<b>Power Source:</b>	208 V, 60 Hz, 2.6 A
<b>Weight:</b>	679 lb.
<b>Dimensions (W x D x H):</b>	36.3" x 31.1" x 51.3"

### High-Capacity Stacker-H1<sup>8</sup>

<b>Stack Capacity:<sup>1</sup></b>	Up to 6,000 Sheets
<b>Top Tray Capacity:<sup>1</sup></b>	Up to 200 Sheets
<b>Paper Size:</b>	7.2" x 7.2" to 13" x 19.2"
<b>Paper Weight:</b>	14 lb. Bond to 130 lb. Cover (52 gsm to 350 gsm)
<b>Power Source:</b>	120 V, 60 Hz, 10 A
<b>Weight:</b>	265 lb.
<b>Dimensions (W x D x H):</b>	35.4" x 29.3" x 44.9"

### MAX Ring Binder MB-1000C<sup>8,9</sup>

<b>Binding Capacity:<sup>1</sup></b>	2 to 100 Sheets
<b>Sheet Size:</b>	Letter, Letter Tab
<b>Paper Weight:</b>	17 lb. Bond to 80 lb. Cover (64 to 216 gsm)
<b>Stacking Capacity:</b>	Up to 25 Books
<b>Ring Elements:</b>	Small (Up to 50 Sheets), Large (Up to 100 Sheets)
<b>Power Source:</b>	120-127 V, 60 Hz, 2.8 A
<b>Weight:</b>	331 lb.
<b>Dimensions (W x D x H):</b>	55.5" x 26.8" x 41.8"

### Paper Folding Unit-J1<sup>6,7</sup>

<b>Double Parallel Fold:</b>	Legal, Letter-R
<b>C/Accordion Fold:</b>	Letter-R
<b>Z-Fold:</b>	Letter-R, 11" x 17"
<b>Paper Weights:</b>	14 lb. Bond to 28 lb. Bond (50 gsm to 105 gsm)
<b>Power Source:</b>	From Finisher
<b>Weight:</b>	157 lb. (71 kg)
<b>Dimensions (W x D x H):</b>	13.3" x 31.3" x 46.9"

# imagePRESS C910 PRODUCT SPECIFICATIONS (Continued)

## Staple Finisher-AC1/Booklet Finisher-AC1<sup>9</sup>

### Tray Capacity<sup>1</sup>

Top Tray:	Up to 250 Sheets
Middle Tray:	Up to 250 Sheets
Lower Tray:	Up to 3,000 Sheets
Saddle-Stitch Tray:	Up to 30 Booklets

### Paper Weight

Stacking:	14 lb. Bond to 130 lb. Cover (52 to 350 gsm)
Corner Stapling:	14 lb. Bond to 140 lb. Index (52 to 256 gsm)
Booklet Making:	14 lb. Bond to 140 lb. Index (52 to 256 gsm)

**Staple Positions:** Corner, Double Side, Eco

### Paper Size

Stapling:	Executive, Letter-R, Letter, Legal, 11" x 17"
Saddle Finisher:	5.5" x 7.2" to 11.8" x 17"

### Stapling Capacity<sup>1</sup>

Corner/Double Side:	Up to 65 Sheets
Eco Stitch:	Up to 5 Sheets
Saddle Stitch:	Up to 20 Sheets
V-Folding:	Up to 3 Sheets without Stitch

**Power Source:** From the Main Unit

### Weight

Staple Finisher:	80 lb.
Booklet Finisher:	131 lb.

**Dimensions (W x D x H):** 25.5" x 25.9" x 44.1"

## 2/3 Hole Puncher Unit-A1<sup>10</sup>

**Paper Weight:** 14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

### Paper Sizes

2-Hole:	Legal, Letter-R, Custom Size (7.2" x 7.2" to 11.8" x 17")
3-Hole:	11" x 17", Letter, Executive-R, Custom Size (9.5" x 7.2" to 11.8" x 17")

**Paper Weight:** 14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

**Power Supply:** From the Finisher

## Staple Finisher-W1/Booklet Finisher-W1

### Tray Capacity<sup>1</sup>

Top Tray:	Up to 1,000 Sheets
Lower Tray:	Up to 4,000 Sheets
Saddle-Stitch Tray:	Up to 30 Booklets or Limitless

### Paper Weight

Stacking:	14 lb. Bond to 130 lb. Cover (52 to 350 gsm)
Corner Stapling:	14 lb. Bond to 110 lb. Cover (52 to 300 gsm)
Booklet Making:	14 lb. Bond to 110 lb. Cover (52 to 300 gsm)

**Staple Positions:** Corner, Double Side

### Paper Size

Stapling:	8.3" x 11" to 11.7" x 17"
Saddle Finisher:	8.3" x 11" to 13" x 19.2"

### Stapling Capacity<sup>1</sup>

Corner/Double Side:	Up to 100 Sheets
Saddle Stitch:	Up to 25 Sheets
V-Folding:	Up to 5 Sheets without stitch

**Power Source:** 120-240 V, 60 Hz, 8 A

### Weight

Staple Finisher:	287 lb.
Booklet Finisher:	397 lb.

**Dimensions (W x D x H):** 31.5" x 31.3" x 48.8"

## Long Sheet Catch Tray-C1<sup>11</sup>

**Stack Capacity:<sup>1</sup>** 100 sheets

**Paper Size:** 4" x 5.83" to 13" x 30"

## Long Sheet Catch Tray XL-A1<sup>6</sup>

**Stack Capacity:<sup>1</sup>** Up to 30" (300 sheets)  
Up to 51.2" (10 sheets)

**Paper Size:** 4" x 5.83" to 13" x 51.2"

## Puncher Unit-BS1<sup>6</sup>

**Paper Weight:** Same as Main Engine

### Paper Sizes

2-Hole:	Legal, Letter-R, Custom Size (7.2" x 7.2" to 11.8" x 17")
3-Hole:	11" x 17", Letter, Executive-R, Custom Size (9.5" x 7.2" to 11.8" x 17")

**Paper Weight:** 14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

**Punch Waste Capacity:** Up to 6,000 Sheets

**Power Supply:** From the Finisher

## DFD Adapter and Finisher Bridge-A1<sup>6,8</sup>

**Paper Weight:** 14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

**Supported Finishing:** SDD BLM300C Professional Booklet Maker  
Plockmatic BLM50/35 Professional Booklet Maker,  
MAX Ring Binder MB-1000C

**Requirements:** Staple/Booklet Finisher-W1

**Weight:** 66 lb.

**Dimensions (W x D x H):** 23.5" x 29.3" x 5.9"

## Booklet Trimmer-F1<sup>6,7</sup>

**Margin Trimming:** Front-edge Trim

**Trim Amount:** 0.08" to 1.1"

**Paper Weight:** 14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

**Power Supply:** From the Finisher

**Weight:** 392 lb.

**Dimensions (W x D x H):** 82.5" x 30.8" x 41"

## Two-Knife Booklet Trimmer-A1<sup>7,13</sup>

**Margin Trimming:** Top and Bottom

**Trim Amount:** 0.08" to 0.59"

**Paper Weight:** 14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

**Power Supply:** 120 V/15 A

**Weight:** 320 lb.

**Dimensions (W x D x H):** 21.1" x 30.4" x 41"

## SDD Square Fold Booklet Maker<sup>7,13</sup>

**Booklet Capacity:<sup>1</sup>** Up to 25 Sheets

**Booklet Input Size:** 4.71" x 8.27" to 9.6" x 12.6"

**Booklet Output Size:** 4.71" x 7.87" to 9.6" x 12.6"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover

**Trim Amount:** 0.08" to 1.38"

**Power Supply:** 120 V, 60 Hz, 15 A

**Weight:** 154 lb.

**Dimensions (W x D x H):** 44.9" x 23.6" x 44.9"

## SDD Square Fold Booklet Maker with Two Knife Trim<sup>7,13</sup>

**Booklet Capacity:<sup>1</sup>** Up to 25 Sheets

**Booklet Input Size:** 4.88" x 5.51" to 9.6" x 12.6"

**Booklet Output Size:** 4.88" x 5.51" to 9.6" x 12.6"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover

**Trim Amount:** 0.08" to 1.38"

**Power Supply:** 120 V, 60 Hz, 15 A

**Weight:** 573 lb.

**Dimensions (W x D x H):** 62.7" x 27.6" x 51.2"

# imagePRESS C910 PRODUCT SPECIFICATIONS (Continued)

## SDD BLM300C Professional Booklet Maker<sup>8,12</sup>

Booklet Size <sup>1</sup> :	Up to 30 Sheets
Paper Size:	5.5" x 9.9" to 12.6" x 18.5"
Paper Weight	
Body:	16 lb. Bond to 64 lb. Cover (60 to 240 gsm)
Cover:	20 lb. Bond to 110 lb. Cover (80 to 300 gsm)
Trim Amount <sup>14</sup>	
Face:	0.08" to 0.63"
Top/Bottom:	0.08" to 1.38"
Paper Rotating <sup>15</sup> :	8" x 8" to 9.1" x 12.6"
Weight:	1,477 lb.
Dimensions (W x D x H):	143.6" x 27.5" x 45.3"

## Plockmatic BLM50/35 Professional Booklet Maker<sup>8,12</sup>

Booklet Size <sup>1</sup> :	Up to 50 Sheets
Paper Size:	8.1" x 10.8" to 12.6" x 18"
Paper Weight	
Uncoated:	16 lb. Bond to 110 lb. Cover (60 to 300 gsm)
Coated:	28 lb. Bond to 110 lb. Cover (105 to 300 gsm)
Trim Amount <sup>16</sup>	
Face:	0.04" to 1"
Top/Bottom:	0.196" to 1.18"
Paper Rotating <sup>17</sup> :	8.1" x 10.9" to 9.1" x 12.7"
Weight:	1,235.7 lb.
Dimensions (W x D x H):	131.1" x 33.8" x 42.5"

## PRINT SERVERS

### imagePRESS Printer Kit-F1

PDL:	PS, PCL, UFR
Memory:	3.5 GB
Hard Drive:	1.5 TB

### PRISMAsync Print Server<sup>7</sup>

System Software:	Version 7
CPU:	Intel Core i7 4770S @ 3.1 GHz
Memory:	16 GB
Hard Drive:	1.5 TB
OS:	Windows 10
Standard:	Scheduler, DocBox, G7 Calibration, Page Programmer, Remote Manager, PRISMAlytics Dashboard, Automated Workflows, Multiple Queues, Remote Control
Optional:	E-Shredding

### PRISMAsync Print Server LP<sup>18</sup>

System Software:	Version 7
CPU:	Intel Core i7 4770S @ 3.1 GHz
Memory:	16 GB
Hard Drive:	1.5 TB
OS:	Windows 10
Standard:	Multiple Queues, Scheduler, Remote Manager, Color Presets, Pixel Precise Preview, Spot Color Editing, Calibration, Realistic Preview, Digital Moire
Optional:	Advanced Color Management, Power Up Package, E-Shredding

### imagePRESS Server H350 V2

Fiery System:	FS400 Pro
CPU:	Intel Core i5-6500 3.2GHz up to 3.6GHz W/ Turbo
Memory:	8 GB
Hard Drive:	2 TB
OS:	Windows 10
Standard:	Fiery Hot Folders, Virtual Printers, Unity Display, Fiery JDF, Fiery Command Workstation 6, Paper Catalog, Fiery Spot-On, Fiery Remote Scan, Media Librarian
Optional:	APPE, Graphic Arts Pro Package, Fiery JobFlow, Fiery Impose, Fiery Compose, Fiery JobMaster, Fiery NX Station

### imagePRESS Server G250 V2

Fiery System:	FS400
CPU:	Intel Pentium G4400, 3.3 GHz
Memory:	4 GB
Hard Drive:	500 GB
OS:	Linux
Standard:	Fiery Command Workstation 6, Paper Catalog, Fiery Spot On, Fiery Remote Scan, Hot Folders License
Optional:	APPE, ColorRight Package, Automation Package, Fiery JobFlow, Fiery Impose, Fiery Compose, JobMaster

<sup>1</sup> Based on 20 lb. Bond.

<sup>2</sup> Envelope Attachment Kit required.

<sup>3</sup> POD Deck Lite-XL or Long Sheet Tray-B1 required.

<sup>4</sup> Optional feeding accessories required.

<sup>5</sup> Stocks longer than 19.2" support up to 110 lb. Cover (300 gsm).

<sup>6</sup> Staple/Booklet Finisher-W1 required.

<sup>7</sup> Not available for the imagePRESS C710CA.

<sup>8</sup> Not available for the imagePRESS C710/ C710CA.

<sup>9</sup> Only available for the imagePRESS C710, C810 and C710CA.

<sup>10</sup> Staple Finisher-AC1 or Booklet Finisher-AC1 required.

<sup>11</sup> Copy Tray-R2, Staple Finisher-W1, Booklet Finisher-W1, Staple Finisher-AN1, and Booklet Finisher-AN2.

<sup>12</sup> High Capacity Stacker-H1 or DFD Adapter and Finisher Bridge-A1 required.

<sup>13</sup> Booklet Trimmer-F1 required.

<sup>14</sup> SDD Front Trimmer required.

<sup>15</sup> SDD Rotator required.

<sup>16</sup> FTR50 Trimmer Module required.

<sup>17</sup> RCT50 Rotate Crease Trim Module required.

<sup>18</sup> Not available for the imagePRESS C910 or C710CA.

USA.CANON.COM/PRODUCTIONPRINTING



Canon, imagePRESS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners. PRISMA is registered trademarks of Canon Production Printing Netherlands B.V. Specifications and availability subject to change without notice. All printer output images are simulated. Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims on unauthorized copying. ©2020 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims on unauthorized copying.

1220R4-C910-PDF-IH



SEE IMPOSSIBLE